## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	of filing in State Engineer's Office
	ned to applicant for correction
Corr	cted application filed
Мар	filed
	The applicant Atlandia Design and Furnishings, Inc., for the Mirage Casino-Hotel
	3260 South Industrial Road , of Las Vegas City or Town
	Nevada 89109 , hereby make S. application for permission to appropriate the public State and Zip Code No.
wate	s of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copa	tnership or association, give names of members.)
	Incorporated July 9, 1979 Incorporated in the State of New Jersey
1.	in the shallow aquifer containing the perched The source of the proposed appropriation is <u>underground nuisance water at the "Mirage" project</u> Name of stream, lake, spring, underground or other source
	in Clark County, Nevada, a.k.a. Las Vegas Basin (see attached Overall Area Plan)
2.	The amount of water applied for is O.62 One second-foot equals 448.83 gals. per min.
	a) If stored in reservoir give number of acre-feetnot.applicable
3.	The water to be used for recreational use (see "No. 12 Remarks").  Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
	f use is for:
	a) Irrigation, state number of acres to be irrigated
	b) Stockwater, state number and kinds of animals to be watered not applicable
	c) Other use (describe fully under No. 12. "Remarks" water features
	d) Power:
	(1) Horsepower developednot.applicable
	(2) Point of return of water to streamnot.applicable
5.	The water is to be diverted from its source at the following point. SE¼ NE¼ SECTION 17, TOWNSHIP 21S.,  Describe as being within a 40-acre subdivision of public
	RANGE 61E., M.D.M., CLARK COUNTY, NEVADA BEARING: SOUTH 10°35'03" EAST 3525.25' urvey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
	TO THE SOUTHEAST CORNER (SE COR) OF SAID SECTION 17 (POINT OF DIVERSION "Q")
6.	Place of use <u>Within the Project Area known as the "Mirage" Project (see attached Ove</u> ral Describe by legal subdivision. If on unsurveyed land, it should be so stated.
	Area Plan. dated 08/01/91). All within the following "½-½" Sections:  NW½ SW½ SECTION 16, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA  SW½ NW½ SECTION 16, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA  NW¾ SE½ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA  NE½ SE½ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA  SW¾ NE½ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA  SE½ NE½ SECTION 17, TOWNSHIP 21 S., RANGE 61 E., M.D.M., CLARK COUNTY, NEVADA
7.	Use will begin about January 01 and end about December 31, of each year.  Month and Day Month and Day
8.	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	pecifications of your diversion or storage works.)

flumes, drilled well with pump and motor, etc.

	Estimated cost of works.	unknown at this time
10.	Estimated time required to construct works	Unknown at this time If well completed, describe works.
12.	water savings at the "Mirage",	Project completion expected on of water to beneficial use mid 1992. Besides benefit of removal of the nuisance water is considered benefici watering, state number and type of units to be served or annual
	To be used for approximately 11 acre	es of landscape irrigation and 4½ acres of surface
	area of water features within the "	Mirage" Project.
		s/Peter T. Smith  By Peter T. Smith, A.I.A., Executive Vice Presid
	mpared bc/bc am/se	3260 South Industrial Road Las Vegas, Nevada 89109
Pro	tested	·
	A DDD OVA I	
	APPROVAL	OF STATE ENGINEER
is and amore (c) use wathor the best place (bet to be	understood that the amount of water that the final water right obtained that the final water actually placed to be not and based on the particular hydrometer caused by secondary recharge and term availability for continuous that the water to be diverted under the water availability for continuous that the water shall be equipped with the state Engineer shall approve the part that a totalizing meter must be instant the point of diversion and accurate the point of diversion and accurate for any use of water begins, or before any use of water begins, or before of use which is called the Mirage particular water water begins and the same of the place of use of this permanent of the place of use of the property water water appropriated shall be limited.	o the provisions of NRS 534.025 and 534.050 (2) drologic conditions in the area of the place of r this permit is a result of the rise of ground and therefore does not provide or guarantee the use of this water from this source. h a two (2) inch opening for measuring depth to n be used in lieu of this two (2) inch opening. lacement of any monitoring wells. talled and maintained in the discharge pipeline te measurements must be kept of water placed to ters and any monitoring wells must be installed ore the Proof of Completion of Work is filed. mit is limited to the area described within the
		•
		T-h
		d be completed on or before February 14, 1994
	•	March 14, 1994
Ap	plication of water to beneficial use shall be filed on	or before February 14, 1997
Pro	of of the application of water to beneficial use shall	l be filed on or before
Ma	p in support of proof of beneficial use shall be filed	l on or beforeN/A
Con	npletion of work filed	IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED. P.E.
Pro	of of beneficial use filed	State Engineer of Nevada, have hereunto set my hand and the seal of my
		office, this 14th day of February,
Cul	tural map filed	
	Bificate   1996   Issued BECAUSE OF FAILURE OF FAILURE OF PERMIT	A.D. 1992

## (PERMIT TERMS CONTINUED)

The depth of the well under this permit shall not in any case exceed sixty feet in depth nor shall the well penetrate any confining layer below this shallow aquifer.

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from each well, the use of the water and the depth to water in this well or any monitoring well.

Water quality samples shall be taken from each well on a quarterly basis, analyzed for total dissolved solids (TDS), pH and sulfates ( $SO_4$ ), and reported to this office along with the appropriate monthly report.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 56617, 56618, 56619, 56620, 56621, 56622, 56623, 56624, 56625, 56626, 56627, 56628, 56629, 56630, 56631, 56632, 56633, 56634, 56635, 56636, 56637, 56638, 56639, 56640, 56641, 56642, 56643 and 56644 shall not exceed 302 acre-feet annually.

The State retains the right to regulate the use of the water herein granted at any and all times.